

Howard County, Maryland
Table A.--Acreage and Proportionate Extent of the Soils

Print date: 07/22/2002

Map symbol	Soil name	Acres	Percent
AdB2	Aldino silt loam, 3 to 8 percent slopes, moderately eroded-----	213	0.1
AdC2	Aldino silt loam, 8 to 15 percent slopes, moderately eroded-----	98	*
AgB2	Aura gravelly loam, 1 to 5 percent slopes, moderately eroded-----	170	0.1
AgC2	Aura gravelly loam, 5 to 10 percent slopes, moderately eroded-----	241	0.1
AgE3	Aura gravelly loam, 10 to 30 percent slopes, severely eroded-----	196	0.1
Ba	Baile silt loam-----	3,318	2.0
BeA	Beltsville silt loam, 0 to 1 percent slopes-----	108	*
BeB2	Beltsville silt loam, 1 to 5 percent slopes, moderately eroded-----	1,383	0.9
BeC2	Beltsville silt loam, 5 to 10 percent slopes, moderately eroded-----	557	0.3
BeC3	Beltsville silt loam, 5 to 10 percent slopes, severely eroded-----	465	0.3
BeD2	Beltsville silt loam, 10 to 15 percent slopes, moderately eroded-----	327	0.2
BrB2	Brandywine loam, 3 to 8 percent slopes, moderately eroded-----	883	0.5
BrC2	Brandywine loam, 8 to 15 percent slopes, moderately eroded-----	898	0.6
BrC3	Brandywine loam, 8 to 15 percent slopes, severely eroded-----	712	0.4
BrD2	Brandywine loam, 15 to 25 percent slopes, moderately eroded-----	420	0.3
BrD3	Brandywine loam, 15 to 25 percent slopes, severely eroded-----	799	0.5
BrF	Brandywine loam, 25 to 60 percent slopes-----	1,052	0.6
BwD	Brandywine very stony loam, 3 to 25 percent slopes-----	142	*
CgB2	Chester gravelly silt loam, 3 to 8 percent slopes, moderately eroded-----	3,536	2.2
CgC2	Chester gravelly silt loam, 8 to 15 percent slopes moderately eroded-----	2,530	1.6
ChA	Chester silt loam, 0 to 3 percent slopes-----	2,409	1.5
ChB2	Chester silt loam, 3 to 8 percent slopes, moderately eroded-----	14,577	9.0
ChC2	Chester silt loam, 8 to 15 percent slopes, moderately eroded-----	2,875	1.8
ChC3	Chester silt loam, 8 to 15 percent slopes, severely eroded-----	719	0.4
ChD2	Chester silt loam, 15 to 25 percent slopes, moderately eroded-----	802	0.5
ClC3	Chillum gravelly loam, 5 to 10 percent slopes, severely eroded-----	447	0.3
ClD2	Chillum gravelly loam, 10 to 15 percent slopes, moderately eroded-----	304	0.2
ClE2	Chillum gravelly loam, 15 to 30 percent slopes, moderately eroded-----	140	*
CmB2	Chillum silt loam, 1 to 5 percent slopes, moderately eroded-----	882	0.5
CmC2	Chillum silt loam, 5 to 10 percent slopes, moderately eroded-----	265	0.2
CnB2	Chillum-fairfax loams, 1 to 5 percent slopes, moderately eroded-----	323	0.2
CnD3	Chillum-fairfax loams, 5 to 15 percent slopes,-----	401	0.2
Co	Codorus silt loam-----	3,873	2.4
Cs	Comus silt loam-----	697	0.4
CuB	Comus silt loam, local alluvium, 3 to 8 percent slopes-----	1,199	0.7
DeA	Delanco silt loam, 0 to 3 percent slopes-----	138	*
DeB2	Delanco silt loam, 3 to 8 percent slopes, moderately eroded-----	241	0.1
EkA	Elioak silt loam, 0 to 3 percent slopes-----	401	0.2
EkB2	Elioak silt loam, 3 to 8 percent slopes, moderately eroded-----	2,779	1.7
EkC2	Elioak silt loam, 8 to 15 percent slopes, moderately eroded-----	987	0.6
EkD2	Elioak silt loam, 15 to 25 percent slopes, moderately eroded-----	134	*
ElC3	Elioak silty clay loam, 8 to 15 percent slopes, severely eroded-----	411	0.3
ElD3	Elioak silty clay loam, 15 to 25 percent slopes, severely eroded-----	126	*
Em	Elkton silt loam-----	94	*
EnA	Elsinboro loam, 0 to 3 percent slopes-----	136	*
EnB2	Elsinboro loam, 3 to 8 percent slopes, moderately eroded-----	356	0.2
EnC2	Elsinboro loam, 8 to 15 percent slopes, moderately eroded-----	156	*
EvB	Evesboro loamy sand, 1 to 5 percent slopes-----	146	*
EvC	Evesboro loamy sand, 5 to 15 percent slopes-----	258	0.2
Fa	Fallsington loam-----	356	0.2
GlA	Glenelg loam, 0 to 3 percent slopes-----	508	0.3
GlB2	Glenelg loam, 3 to 8 percent slopes, moderately eroded-----	15,616	9.6
GlC2	Glenelg loam, 8 to 15 percent slopes, moderately eroded-----	7,835	4.8
GlC3	Glenelg loam, 8 to 15 percent slopes, severely eroded-----	2,777	1.7
GlD2	Glenelg loam, 15 to 25 percent slopes, moderately eroded-----	1,290	0.8
GlD3	Glenelg loam, 15 to 25 percent slopes, severely eroded-----	928	0.6
GnA	Glenville silt loam, 0 to 3 percent slopes-----	1,724	1.1
GnB2	Glenville silt loam, 3 to 8 percent slopes, moderately eroded-----	5,266	3.2
GnC2	Glenville silt loam, 8 to 15 percent slopes, moderately eroded-----	146	*
Gp	Gravel pits and quarries-----	229	0.1
Ha	Hatboro silt loam-----	3,381	2.1
IuB	Iuka loam, local alluvium, 1 to 5 percent slopes-----	692	0.4

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
KcE3	Kelly clay loam, 15 to 30 percent slopes, severely eroded-----	131	*
KeB2	Kelly silt loam, 3 to 8 percent slopes, moderately eroded-----	386	0.2
KeC2	Kelly silt loam, 8 to 15 percent slopes, moderately eroded-----	145	*
KhC2	Keyport silt loam, 3 to 10 percent slopes, moderately eroded-----	124	*
Kn	Kinkora silt loam-----	144	*
LeB2	Legore silt loam, 3 to 8 percent slopes, moderately eroded-----	380	0.2
LeC2	Legore silt loam, 8 to 15 percent slopes, moderately eroded-----	143	*
LgC3	Legore silty clay loam, 8 to 15 percent slopes, severely eroded-----	150	*
Ll	Leonardtown silt loam-----	480	0.3
LnB2	Linganore channery loam, 3 to 8 percent slopes, moderately eroded-----	212	0.1
LnC2	Linganore channery loam, 8 to 15 percent slopes, moderately eroded-----	391	0.2
LnD2	Linganore channery loam, 15 to 25 percent slopes, moderately eroded-----	148	*
LoE	Linganore channery silt loam, 25 to 45 percent slopes-----	142	*
Md	Made land-----	497	0.3
MgB2	Manor gravelly loam, 3 to 8 percent slopes, moderately eroded-----	1,863	1.1
MgC2	Manor gravelly loam, 8 to 15 percent slopes, moderately eroded-----	2,137	1.3
MgC3	Manor gravelly loam, 8 to 15 percent slopes, severely eroded-----	913	0.6
MlA	Manor loam, 0 to 3 percent slopes-----	284	0.2
MlB2	Manor loam, 3 to 8 percent slopes, moderately eroded-----	4,902	3.0
MlC2	Manor loam, 8 to 15 percent slopes, moderately eroded-----	4,967	3.1
MlC3	Manor loam, 8 to 15 percent slopes, severely eroded-----	4,019	2.5
MlD2	Manor loam, 15 to 25 percent slopes, moderately eroded-----	3,927	2.4
MlD3	Manor loam, 15 to 25 percent slopes, severely eroded-----	5,005	3.1
MlE	Manor loam, 25 to 45 percent slopes-----	3,105	1.9
MnD	Manor very stony loam, 3 to 25 percent slopes-----	1,239	0.8
MnF	Manor very stony loam, 25 to 60 percent slopes-----	1,759	1.1
Mo	Mixed alluvial land-----	416	0.3
MpB2	Montalto silt loam, 3 to 8 percent slopes, moderately eroded-----	628	0.4
MpC2	Montalto silt loam, 8 to 15 percent slopes, moderately eroded-----	193	0.1
MqC3	Montalto silty clay loam, 8 to 15 percent slopes, severely eroded-----	123	*
MrE	Montalto and relay soils, 15 to 45 percent slopes-----	630	0.4
MsD	Montalto and relay very stony silt loams, 3 to 25 percent slopes-----	721	0.4
MsF	Montalto and relay very stony silt loams, 25 to 60 percent slopes-----	590	0.4
MtB2	Mt.airy channery loam, 3 to 8 percent slopes, moderately eroded-----	3,084	1.9
MtC2	Mt. airy channery loam, 8 to 15 percent slopes, moderately eroded-----	4,590	2.8
MtC3	Mt. airy channery loam, 8 to 15 percent slopes, severely eroded-----	1,706	1.1
MtD2	Mt. airy channery loam, 15 to 25 percent slopes, moderately eroded-----	3,831	2.4
MtE	Mt. airy channery loam, 25 to 45 percent slopes-----	1,747	1.1
NeB2	Neshaminy silt loam, 3 to 8 percent slopes, moderately eroded-----	957	0.6
NeC2	Neshaminy silt loam, 8 to 15 percent slopes, moderately eroded-----	595	0.4
NsD3	Neshaminy silty clay loam, 15 to 25 percent slopes severely eroded-----	224	0.1
ReC2	Relay silt loam, 3 to 15 percent slopes, moderately eroded-----	209	0.1
RuB2	Rumford loamy sand, 1 to 5 percent slopes, moderately eroded-----	82	*
RuC2	Rumford loamy sand, 5 to 10 percent slopes, moderately eroded-----	127	*
RuD2	Rumford loamy sand, 10 to 15 percent slopes, moderately eroded-----	90	*
ScB	Sandy and clayey land, gently sloping-----	360	0.2
ScD	Sandy and clayey land, moderately sloping-----	795	0.5
ScE	Sandy and clayey land, moderately steep-----	338	0.2
SfB2	Sassafras gravelly sandy loam, 1 to 5 percent slopes, moderately eroded--	482	0.3
SfC2	Sassafras gravelly sandy loam, 5 to 10 percent slopes, moderately eroded--	723	0.4
SfD2	Sassafras gravelly sandy loam, 10 to 15 percent slopes, moderately eroded	295	0.2
SlB2	Sassafras loam, 1 to 5 percent slopes, moderately eroded-----	532	0.3
SlC2	Sassafras loam, 5 to 10 percent slopes, moderately eroded-----	432	0.3
SlD2	Sassafras loam, 10 to 15 percent slopes, moderately eroded-----	222	0.1
SsE	Sassafras soils, 15 to 40 percent slopes-----	348	0.2
St	Stony land-----	347	0.2
SuB2	Sunnyside fine sandy loam, 1 to 5 percent slopes, moderately eroded-----	62	*
SuD2	Sunnyside fine sandy loam, 5 to 15 percent slopes, moderately eroded-----	111	*
W	Water-----	640	0.4
WaA	Watchung silt loam, 0 to 3 percent slopes-----	341	0.2
WaB	Watchung silt loam, 3 to 8 percent slopes-----	214	0.1
WoB2	Woodstown sandy loam, 1 to 5 percent slopes, moderately eroded-----	190	0.1

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
	Total-----	159,640	98.5

* Less than 0.1 percent.

